

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(MR or magneto\$2resistive or (magneto adj2 resistive)) and (magnetic adj2 layer\$2) and (bias\$3 same (quiet near3 zone))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:22
L2	0	((MR or magneto\$2resistive or (magneto adj2 resistive)) and (magnetic adj2 layer\$2) and (bias\$3 same (quiet near3 zone))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:18
L3	0	((reader or read) near4 head\$2) and (MR or magnetoresistive or magneto\$2resistive or (magneto adj2 resistive)) and (domain near4 shield) and (magnetic near4 layer\$2) and ((non\$2magnetic or (non adj2 magnetic)) adj3 layer\$2) and ((biasing or bias) near4 layer\$2) and (quiet near4 zone\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:20
L4	1	((reader or read) near4 head\$2) and (MR or magnetoresistive or magneto\$2resistive or (magneto adj2 resistive)) and (domain near4 shield) and (magnetic near4 layer\$2) and ((non\$2magnetic or (non adj2 magnetic)) adj3 layer\$2) and ((biasing or bias) near4 layer\$2) and (quiet near4 zone\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:24
L5	0	((reader or read) near4 head\$2) and (MR or magnetoresistive or magneto\$2resistive or (magneto adj2 resistive)) and (domain near4 shield) and (magnetic near4 layer\$2) and ((non\$2magnetic or (non adj2 magnetic)) adj3 layer\$2) and ((biasing or bias) near4 layer\$2) and (quiet near4 zone\$2)).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:21
L6	1	(MR or magneto\$2resistive or (magneto adj2 resistive)) and (magnetic adj2 layer\$2) and (bias\$3 same (quiet near3 zone))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:23

EAST Search History

L7	1	((MR or magneto\$2resistive or (magneto adj2 resistive)) and (magnetic adj2 layer\$2) and (bias\$3 same (quiet near3 zone))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:23
L8	0	((((reader or read) near4 head\$2) and (MR or magnetoresistive or magneto\$2resistive or (magneto adj2 resistive)) and (domain near4 shield) and (magnetic near4 layer\$2) and ((non\$2magnetic or (non adj2 magnetic)) adj3 layer\$2) and ((biasing or bias) near4 layer\$2) and (quiet near4 zone\$2))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:25
L9	80	((reader or read) near4 head\$2) and (MR or magnetoresistive or magneto\$2resistive or (magneto adj2 resistive)) and (domain near4 shield) and (magnetic near4 layer\$2) and ((non\$2magnetic or (non adj2 magnetic)) adj3 layer\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:35
L10	1	(bias\$3 near4 layer\$2) same maintain\$3 same ((magnetic adj43 layer\$2) adj15 (single near4 domain))and ((bias\$3 adj3 layer\$2) adj16 (quiet near4 zone\$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:38
L11	35	(bias\$3 near4 layer\$2) same maintain\$3 same ((magnetic adj43 layer\$2) adj15 (single near4 domain))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:39
L12	7	I9 and I11	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:39
L13	6	I12 not I10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 17:39

EAST Search History

L14	6	((bias\$3 near4 layer\$2) same maintain\$3 same ((magnetic adj43 layer\$2) adj15 (single near4 domain))).CLM.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 18:00
L15	1	l6 and (quiet near4 zone\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/10 18:01